British Journal of Plastic Surgery (1992), **45**, 625–633
© 1992 The British Association of Plastic Surgeons

BRITISH JOURNAL OF PLASTIC SURGERY

Subject Index

A

Achilles tendon repair, reconstruction of skin defects using lazy-V de-epithelialised turn-over fasciocutaneous flap, 550
Adactyly, reconstruction of 4th and 5th toes: study of foot pressure (case report), 610
Adenosine phosphatase coating, microarterial prostheses (letter to editor), 72
Adipofascial flaps, distally based posterior tibial artery, 284
Alloplasts
  periosteum-wrapped, in head and neck reconstruction, 169
  see also Prostheses
Alveolabial sulcus, bilateral cleft lip and palate (letter to editor), 403
Anaesthetics, local, in dental cartridges (letter to editor), 180
Angiogenesis
  and fibroblast growth factor (letter to editor), 254
  role in delay phenomenon (letter to editor), 254
Angiosomes, *in vivo* study by fluorescein angiography, 219, 327 (letter to editor), 328 (letter to editor), 487 (letter to editor)
Arms
  posterior, fasciocutaneous flap for reconstruction of axilla, 101
  see also Forearm
Arteries, microarterial prostheses, adenosine phosphatase coating (letter to editor), 72
Asymmetry, reversed images and (letter to editor), 619
Axilla, reconstruction with posterior arm fasciocutaneous flap, 101

B

Barron, John Netterville, obituary, 617
Bed sores *see* Pressure sores
Bites, human, tetanus following (case report), 614
Blood flow
  effects of smoking, microcirculation of thumb, 9
  no-reflow phenomenon, effect of cyclosporin-A, 512
  TRAM flap, 261
Bone graft resorption, craniofacial region, effects of soft tissue coverage, 26
Breast
  augmentation
    capsular contraction with calcification, 34
    Krakatau syndrome, 34
    transcutaneous extravasation of silicone (case report), 479
      implants
    calcification, 34
    materials, 315, 562(letter to editor)
    polyurethane (letter to editor), 562
    rupture, transcutaneous extravasation of silicone (case report), 479
    seroma in pregnancy (letter to editor), 328
  necrosis, warfarin-induced, 606
  reconstruction
    delay between expansion and expander/implant exchange, 279
    TRAM flaps, bipedicled free, 214
    TRAM flaps, cutaneous blood flow, 261
  tubular deformity, tissue expansion in treatment of, 529
Burns
  dressings, heterologous collagen matrix sponge, 117
  hands, deep partial thickness, conservative treatment, 12

C

Calcium alginate dressings, split-skin graft donor sites (letters to editor), 17, 488
Cancrum oris, surgical reconstruction in patients with ankylosis of jaws, 193
Carcinoma, squamous cell, in tube pedicle, 40 years after jaw reconstruction, 70
Cautery, wound sterilisation, 536
Cervical tube pedicle flaps, uses in facial reconstruction, 398
Chest, funnel *see* Pectus excavatum
Chest wall fixation, pectus excavatum correction, 364
Cigarette smoking *see* Smoking
Claw nail deformity of fingers, reconstruction using trimmed second toetip transfer, 591
Clefts
  organisation of services, 385
  see also under Craniofacial; Face; Lips; Palate
Clinodactyly, bipedicled neurovascular step-advancement flap for soft tissue lengthening, 380
Collagen, heterologous collagen matrix sponge in treatment of third-degree burns, 117
Contractures, Volkmann's *see* Volkmann's contracture
Craniofacial
  clefts, management of rare clefts using soft tissue expansion, 155
    surgery
    children, complications in, 225
    effects of soft tissue coverage on bone graft resorption, 26
    mid-facial sensation following, 519
Craniosynostosis, relationship between intracranial pressure and intracranial volume, 394
Cross-leg flaps, use in children, 146
Cyclosporin-A, effect on no-reflow phenomenon in skin island flaps, 512

D

Dartos musculocutaneous flaps (letter to editor), 73
Deltoid free flap, in reconstruction of penis (letter to editor), 254
Digital artery flaps, reverse, in reconstruction of finger defects, 443
Digits, replantation, distal and very distal, 199
Double cross plasty in nasal stenosis, 165
Drains, syringe suction (ideas and innovations), 484
Dressings, burn *see* Burns, dressings

E

Ears, prominent
  comparison of lignocaine and bupivacaine in corrective surgery, 533
  psychological and social outcome of correction in children, 97
Eiselsberg, Anton Freiherr von, 246
Epidermolysis bullosa, dystrophic
  surgical management, except hands, 426
  surgical management, hands, 435
Epigastric flaps
  deep inferior
    in groin reconstruction following block dissection, 211
    local musculocutaneous flap (letter to editor), 403
    prefabrication using silicone sheet, 204
  superficial inferior free, 270
  venous compromised, leech treatment, 235
Epigastric venous flap, inferior, effect on survival of perivenous areolar tissue, 18
Eyelash reconstruction by strip skin grafting with vibrissae, 163

Eyelids
lower
reconstruction by multiple subcutaneous pedicle flaps, 55
repair using triangular skin flaps with subcutaneous pedicles (letters to editor), 179, 180
upper, gold weight insertion in facial palsy, morbidity, 460

F

Face
clefts, repairing of no.3 cleft, 44
impacted knife injuries, 222
maxillofacial deformities, modified Le Fort I osteotomy, 391
mid-facial sensation following craniofacial surgery, 519
paralysis, gold weight insertion in upper eyelid, morbidity, 460
reconstruction
cervical tube pedicle flap, 398
horn flap, 42
see also Craniofacial...
Fascial flap based on septocutaneous perforators of posterior tibial artery for repair of distal lower limb defects, 141
Fasciitis, necrotising, head and neck (case report), 481
Fasciocutaneous flaps
cross leg posterior tibial artery, for reconstruction of lower leg defects, 62
de-epithelialised turn-over, "lazy-V" modification, in reconstruction of skin defects after tendo Achilles repair, 550
posterior arm, in reconstruction of axilla, 101
Fibroblast growth factor, angiogenesis and (letter to editor), 254
Fibroblasts, effect of UVA, 349
Fillet flaps, reverse flow, from supernumerary finger, 131
Fingers
claw nail deformity, reconstruction using trimmed second toetip transfer, 591
reconstruction of defects, reverse digital artery flap, 443
reconstruction of distal phalanx using osteo-onychocutaneous flaps, 1
replantation
distal and very distal, 199
ten and nine digits, 407
supernumerary, reverse flow fillet flap from, 131
Flexor carpi radialis, incorporated in radial forearm flap, 322 (case report), 562 (letter to editor)
Fluorescence, tissue, as related to capillary perfusion in random pattern skin flaps, 578
Foot pressures, reconstructed adactyly, 4th and 5th toes (case report), 610
Forearm
radial flaps, use in closure of ulnar forearm free flap donor site, 94
ulnar artery free flap, closure of donor site using local radial forearm free flap, 94
Volkmann's contracture, treatment with free medial gastrocnemius musculocutaneous flap transfer with neurovascular anastomosis, 6
Free flaps
groin, 81
rectus abdominis muscle, in reconstruction of anterior skull base, 302
superficial inferior epigastric artery, 270
tissue expanded, 413
transverse rectus abdominis musculocutaneous, bipedicled, 214
ulnar artery forearm, closure of donor site using local radial forearm flap, 94
Funnel chest *see* Pectus excavatum

G

Gastrocnemius muscle
medial free flaps (letter to editor), 486
muscle and musculocutaneous flaps, transtibial transposition, 59
musculocutaneous flaps, full medial, transfer with neurovascular anastomosis to treat Volkmann's contracture of forearm, 6
Groin
flaps
experience of 73 free flaps, 81
morbidity of pedicled flap transfer, 86
primary reconstruction following block dissection, 211

H

Hair transplantation, use of vibrissae in eyelash reconstruction, 163
Hands
burns, deep partial thickness, conservative treatment, 12
dystrophic epidermolysis bullosa, surgical management, 435
intraoperative radiography, syringe plunger in (ideas and innovations), 616
neurocutaneous island flaps, 585
Head and neck
necrotising fasciitis (case report), 481
reconstruction, periosteum-wrapped alloplasts, 169
Healing *see* Wounds, healing
Heparin, effect of continuous topical application on flap survival, 515
Heparinised saline irrigation solutions in prevention of microvascular thrombosis, comparison of, 345
History, significance of Eiselsberg and the Viennese school of surgery for the development of reconstruction surgery in Europe, 246
Horn flap, 42
Hydrocolloid dressings, split-skin graft donor sites (letter to editor), 179
4-Hydroxyanisole (4HA), in treatment of recurrent malignant melanoma, 208

I

Iliac crest, free vascularised tissue transfer, donor site complications, 89
Images, reversed (letter to editor), 619
Implants
breast *see* Breast, implants
pharyngeal wall, localisation and tattooing for (ideas and innovations), 324
Interosseous flaps, posterior (letter to editor), 180
Island flaps
cross leg posterior tibial artery fasciocutaneous, for reconstruction of lower leg defects, 62
neurocutaneous, hand, 585
skin, effect of cyclosporin-A on no-reflow phenomenon, 512

J

Jaw
ankylosis, treatment in cancrum oris patients, 193
reconstruction using tube pedicle flap, development of squamous cell carcinoma after 40 years, 70
Jelonet as temporary dressing for excised wounds (letters to editor), 404

K

Kasabach-Merritt syndrome treated with radiotherapy and corticosteroids, long-term follow-up, 559
Keloid
hydration and occlusion treatment, 599
intra- and postoperative steroid injections, 371
treatment methods, evaluation, 10-year follow-up study, 374
Knee, total knee replacement, exposed prostheses, 66
Knife injuries, impacted, face, 222
Krakatau syndrome, 34

L

Lasers
carbon dioxide, wound sterilisation, 536
pulsed dye, in treatment of portwine stains, 565
Latissimus dorsi musculocutaneous flaps, in reconstruction of anterior mediastinal tracheostomy, 160
Leeches, in treatment of venous compromised epigastric flaps, 235

Legs
cross-leg flaps
posterior tibial artery fasciocutaneous island, for reconstruction of lower leg defects, 62
use in children, 146
reconstruction of lower leg defects using cross leg posterior tibial artery flap, 62
Leiomyoma, vascular, upper extremity, clinical characteristics, 547
Limbs, lower *see* Legs; Lower limbs
Lips, cleft
and cleft palate, alveolabial sulcus in (letter to editor), 403
organisation of services, 385
repair
early post-operative complications, 232
neonatal (letters to editor), 74
unilateral VSL classification for secondary deformities, 288, 293
Lower limbs
repair of distal defects using fascial flap based on septocutaneous perforators of posterior tibial artery, 141
see also Legs

M

Macrostomia, simple line closure, 604
Maxillofacial deformities, modified Le Fort I osteotomy, 391
Melanoma, malignant
desmoplastic, clinico-pathological review, 595
effect of preoperative radiotherapy in surgical treatment, 30
recurrent, intra-arterial 4-hydroxyanisole chemotherapy, 208
subungual, 275
Metacarpal artery flaps
dorsal, direct and reverse, 123
first dorsal, to cover extensive pulp defects in normal length thumb, 544
Metatarsal artery, second, neurovascular flap, 136
Methylmethacrylate, periosteum-wrapped, use in head and neck reconstruction, 169
Microvascular surgery, prevention of thrombosis, heparinised saline irrigation solutions, 345
Mouth, intra-oral reconstruction, extracorporeal tissue transfer, 388
Muscle flaps
distant transfer, staged, using forearm carrier (letter to editor), 618
free, delayed debulking for aesthetic contouring debulking, 38
gastrocnemius, transtibial transposition, 59
Musculocutaneous flaps
dartos (letter to editor), 73
deep inferior epigastric artery (letter to editor), 403
gastrocnemius
free medial flap transfer with neurovascular anastomosis in treatment of Volkmann's contracture of forearm, 6
transtibial transposition, 59
latissimus dorsi, in reconstruction of anterior mediastinal tracheostomy, 160
radial forearm-flexor carpi radialis, 322 (case report), 562 (letter to editor)

N

Nails
claw nail deformity of fingers, reconstruction using trimmed second toetip transfer, 591
subungual melanoma, 275
Neonates, cleft lip repair (letters to editor), 74
Neurocutaneous island flaps in hand, 585
Neurofibromatosis, plexiform, in infant (case report), 175
Neurovascular flaps, bipedicled step-advancement flap for soft tissue lengthening in clinodactyly, 380
Nose *see* Rhinoplasty
Nostrils
stenosis, double cross plasty (W plasty), 165, 487 (letter to editor)
supernumerary (case report), 557

O

Obituaries
Barron, John Netterville, 617
Reidy, Joseph Patrick Irwin, 253
Oral *see* Mouth
Orbits, exenteration, critical analysis of methods of reconstruction, 523
Osteo-onychocutaneous flaps from big toe in reconstruction of distal phalanx of fingers, 1
Osteotomies, modified Le Fort I, for maxillofacial deformities, 391

P

Palate, cleft
alveolabial sulcus in (letter to editor), 403
organisation of services, 385
repair
early post-operative complications, 232
using modified Von Langenbeck method (medial Langenbeck), 455
tongue flap repair, 150
Pectus excavatum, correction, vascularised rib strut technique, 364
Pen, skin marking (ideas and innovations), 177
Penis, reconstruction with free deltoid flap (letter to editor), 254
Periosteal flaps, vascularised: anatomical study (case report), 474
Peripheral nerves, long, repair of defects, comparison of methods, 497
Pharyngeal wall, posterior
implants, localisation (ideas and innovations), 324
tattooing (ideas and innovations), 324
Pneumosinus dilatans and progressive bilateral blindness, 469
Polyethylene sheet as temporary dressing for excised wounds (letters to editor), 404
Polyurethane, use in breast prostheses (case report), 562
Portwine stains, treatment using pulsed dye laser, 565
Pressure sores, multiple, one-stage repair, 540
Prostaglandin E1, effect on flap survival rate, 465
Prostheses
microarterial, reduction of thrombogenicity with ADPase coating (letter to editor), 72
periosteum-wrapped alloplasts in head and neck reconstruction, 169
total knee replacement, exposure, 66
Psychiatric disorders, rhinoplasty patients, 307
Psychology
psychological and social outcome of prominent ear correction in children, 97
rhinoplasty patients, 307

R

Radial forearm flaps
incorporating flexor carpi radialis muscle, 322 (case report), 562 (letter to editor)
use in closure of ulnar forearm free flap donor site, 94
Radiation, ultraviolet *see* Ultraviolet radiation
Radiography, intraoperative, hand, use of syringe plunger (ideas and innovations), 616
Radiotherapy, preoperative, effect in surgical treatment of malignant melanoma, 30
Random pattern flaps, tissue fluorescence as related to capillary perfusion, 578
Rectus abdominis muscle
free flaps, in reconstruction of anterior skull base, 302
transverse musculocutaneous flaps *see* Transverse rectus abdominis
musculocutaneous flaps
Reidy, Joseph Patrick Irwin, obituary, 253
Replantation surgery, nine and ten digits, 407
Reversed images (letter to editor), 619
Rhinoplasty
external, 47
psychiatric and psychological assessment of patients, 307

S

Scalp, replantation by arterialised venous network flow-through, 187
Scars, hypertrophic
hydration and occlusion treatment, 599
intra- and postoperative steroid injections, 371
treatment methods, evaluation, 10-year follow-up study, 374
Silicone
cream, beneficial effects on grafted skin, 105
sheet, in prefabrication of deep inferior epigastric flap, 204
Skin
flaps
blood flow, no-reflow phenomenon, effect of cyclosporin-A, 512
random pattern, tissue fluorescence related to capillary perfusion, 578
survival, effect of continuous topical heparin application, 515
survival, effects of various pharmacological agents, 113
vascular pedicle flaps from dorsal aspect of rat, experimental model, 23
grafts
acute and traditional expansion on ultrastructure and surface area of full thickness grafts, 239
alternatives to autologous skin, 354
back, protection with "X Lite" splint (ideas and innovations), 251
beneficial effects of silicone cream, 105
intermingled, production using computerised machine, 421
split-skin grafts, donor sites, calcium alginate dressings (letter to editor), 488
split-skin grafts, re-epithelialisation of donor areas with hydrocolloid and alginate dressings (letters to editor), 179
marking, pen (ideas and innovations), 177
stapling (letter to editor), 254
Skull base, anterior, reconstruction using free rectus abdominis muscle flap, 302
Smoking, acute effects on microcirculation of thumb, 9
Sores, bed *see* Pressure sores
Stapling, skin (letter to editor), 254
Step-advancement flaps, bipedicled neurovascular, soft tissue lengthening in clinodactyly, 380
Syndactyly, treatment of polysyndactyly of fifth toe using Z-plasty, 554
Syringe plunger, intraoperative hand surgery radiography (ideas and innovations), 616
Syringe suction drain (ideas and innovations), 484

T

Tetanus, human bite (case report), 614
Thigh, anterolateral flaps, technical tip to facilitate elevation (letter to editor), 74
Thromboembolism, prophylaxis, 418
Thrombosis
microvascular, heparinised saline irrigation solutions, comparison, 345
prosthetic materials and, prevention by use of adenosine phosphatase (letter to editor), 72
Thumb
microcirculation, acute effects of smoking, 9
pulp defects, repair in normal length thumb using first dorsal metacarpal artery flap, 544
replantation, distal and very distal, 199
Tibia, open fractures, soft tissue management, 571
Tibial artery flaps
adipofascial, distally based posterior, 284
fasciocutaneous island, cross leg posterior, for reconstruction of lower leg defects, 62
posterior fascial, for repair of lower leg defects, 141
Tissue expansion
effect on survival of full thickness skin grafts, 239
free flaps, 413
histomorphological observations on dermal repair, 503
management of rare craniofacial clefts, 155
in treatment of tubular breast deformity, 529
Toes
adactyly, reconstruction of 4th and 5th toes: study of foot pressure (case report), 610
great, use of free thin osteo-onychocutaneous flaps for reconstruction of fingers, 1
polysyndactyly of fifth toe, Z-plasty for, 554
toetip transfer of second toe for reconstruction of claw nail deformity of fingers, 591
Tongue flap in primary treatment of cleft palate, 150
Torticollis, idiopathic muscular, in children, 297
Tracheostomy, anterior mediastinal, with latissimus dorsi musculocutaneous flap, 160
Transverse rectus abdominis musculocutaneous (TRAM) flaps
bipedicled, 214
cutaneous blood flow, 261
Tube pedicles
cervical flap, facial reconstruction, 398
squamous cell carcinoma in, 40 years after jaw reconstruction, 70
Turn-over flaps, fasciocutaneous, in reconstruction of skin defects after tendo Achilles repair, 550

U

Ulnar artery, forearm free flap donor site, closure using local radial forearm free flap, 94
Ultraviolet radiation, effects of
on human gingival fibroblasts, 349
on wound contraction in hairless guinea pig, 508
on wound tensile strength, reversibility of, 109

V

V-Y advancement flap with lateral pedicle (horn flap), 42
Velopharyngeal incompetence, implant localisation (ideas and innovations), 324
Venous flaps, 404 (letters to editor)
viability, role of perivenous areolar tissue, 18
Vibrissae transplantation in eyelash reconstruction, 163
Volkmann's contracture, forearm, treatment with free medial gastrocnemius musculocutaneous flap transfer with neurovascular anastomosis, 6

W

W plasty, nostril stenosis, 165, 487 (letter to editor)
Warfarin-induced breast necrosis, 606
Wounds
contraction, effects of ultraviolet radiation, 508
dressings
comparison of polyethylene sheet and Jelonet as temporary dressings for excised wounds (letters to editor), 404
split-skin graft donor sites, calcium alginate (letter to editor), 488
split-skin graft donor sites, comparison of hydrocolloid and alginate (letter to editor), 179
healing
foetal sheep, 333
UV radiation and, 109
sterilisation, comparison of cautery and carbon dioxide laser, 536
tensile strength, reversibility of effects of UV radiation, 109

X

"X Lite", use in protection of split skin grafts on back (ideas and innovations), 251
Xeroderma pigmentosum, 72 (letter to editor)
comparison of resurfacing and dermabrasion, 311

Z

Z-plasty, in treatment of polysyndactyly of fifth toe, 554

Author Index

A

Abraham, V., Ravi, R. and Shrivastava, B.R. Primary reconstruction to avoid wound breakdown following groin block dissection, 211
Abramo, A.C. and Viola, J.C. Heterologous collagen matrix sponge: histologic and clinical response to its implantation in third-degree burn injuries, 117
Acartürk, S., jt.author *See* Kivanç, Ö.
Adams-Ray, W.E. and James, J.H. Cancrum oris: functional and cosmetic reconstruction in patients with ankylosis of the jaws, 193
Adrichem, L.N.A.van *See* van Adrichem, L.N.A.
Agrawal, K. Xeroderma pigmentosum (letter to the editor), 72
Agrawal, K., Veliath, A.J., Mishra, S. and Panda, K.N. Xeroderma pigmentosum: resurfacing versus dermabrasion, 311
Ahmad, R., jt.author *See* Maqbool, M.
Ahmed, R., jt.author *See* Maqbool, M.
Al-Qattan, M.M. Nostril stenosis—"W" plasty (letter to the editor), 487
Andar, U., jt.author *See* Fok, H.
Andrews, J.M., jt.author *See* Marques, A.
Anton-Lamprecht, I., jt.author *See* Galla, T.J.
Aoki, T., jt.author *See* Onishi, K.
Arai, K., jt.author *See* Itoh, Y.
Arnež, Z.M. Posterior interosseous flap (letter to the editor), 180
Arnež, Z.M. and Scamp, T. The bipedicled free TRAM flap, 214
Arnold, L.I., jt.author *See* Horne, R.S.C.
Asato, H., jt.author *See* Yamada, A.
Asko-Seljavaara, S., jt.author *See* Tuominen, H.P.
Asplund, O., jt.author *See* Erdmann, M.W.H.
Assuncao, A.G.A. The V.L.S. classification for secondary deformities in the unilateral cleft lip, 288
Assuncao, A.G.A. The V.S.L. classification for secondary deformities in the unilateral cleft lip: clinical application, 293

B

Baek, S.-M. and Kim, S.-S. Ten-digit and nine-digit replantation (4 cases), 407
Bagnall, A.D., jt.author *See* Harries, R.H.C.
Bahnasy, N., jt.author *See* Erdmann, M.W.H.
Bainbridge, C., jt.author *See* Elliot, D.
Bakker, W.W., jt.author *See* van der Lei, B.
Balakrishnan, C. A comparison of the use of polythene and jelonet as temporary dressing for excised wound (letter to the editor), 404
Bao-feng, G., jt.author *See* Xing-yan, L.
Bartels, H.L., jt.author *See* van der Lei, B.
Barthe García, P., jt.author *See* Súárez Nieto, C.
Bas, L., jt.author *See* Numanoglu, A.
Belcher, H.J.C.R., Nizam, M. and O'Neill, T.J. Intra-arterial 4-hydroxyanisole chemotherapy for locally recurrent malignant melanoma: a re-appraisal, 208
Bentz, M.L. and Futrell, J.W. Improved chest wall fixation for correction of pectus excavatum, 367
Beranek, J.T. Angiogenesis and basic fibroblast growth factor (letter to the editor), 254
Bertelli, J.A. and Khoury, Z. Neurocutaneous island flaps in the hand: anatomical basis and preliminary results, 585
Biemer, E., jt.author *See* Graf, P.
Bingham, R.M., jt.author *See* Jones, B.M.
Bowen, V., jt.author *See* Forrest, C.
Boyd, B., jt.author *See* Forrest, C.
Bradbury, E.T., Hewison, J. and Timmons, M.J. Psychological and social outcome of prominent ear correction in children, 97
Brantley, S.K., jt.author *See* Davidson, S.F.
Brenda, E., jt.author *See* Marques, A.
Briggs, J.C., jt.author *See* Devaraj, V.S.
Briggs, J.C., jt.author *See* Rigby, H.S.
Briggs, P.C., jt.author *See* O'Donnell, M.

C

Chatzis, L.A. and Dennis, J. "X Lite": a protective shield for skin grafts on the back (ideas and innovations), 251
Chatzis, L.A., jt.author *See* Dujon, D.G.
Chen, H.-C., jt.author *See* Chuang, D.C.-C.
Chen, H.-T., jt.author *See* Chuang, D.C.-C.
Chen, M.T. and Yeong, E.K. Supernumerary nostrils (case report), 557
Chou, C.-K., jt.author *See* Lai, C.-S.
Chou, C.K., jt.author *See* Lin, S.D.
Chowdary, R.P. and Murphy, R.X. Delayed debulking of free muscle flaps for aesthetic contouring debulking of free muscle flaps, 38
Chowdri, N.A., jt.author *See* Darzi, M.A.
Chuang, D.C.-C., Jeng, S.-F., Chen, H.-T., Chen, H.-C. and Wei, F.-C. Experience of seventy-three free groin flaps, 81
Cohney, B.C. Polyurethane foam covered prostheses (letter to the editor), 562
Cole, R., Shakespeare, P. and Rossi, A. Conservative treatment of deep partial thickness hand burns—a long-term audit of outcome, 12
Coleman, D.J., jt.author *See* Foo, I.T.H.
Condon, K.C., jt.author *See* O'Donnell, M.
Cordova, A., jt.author *See* Moschella, F.
Cormack, G. Anterolateral thigh flap: technical tip to facilitate elevation (letter to the editor), 74
Cox, G.W., Runnels, S., Hsu, H.S.H. and Das, S.K. A comparison of heparinised saline irrigation solutions in a model of microvascular thrombosis, 345
Crock, J.G. and Morrison, W.A. A vascularised periosteal flap: anatomical study (case report), 474
Crock, J.G., jt.author *See* Mayou, B.J.
Crowe, D.M., jt.author *See* Horne, R.S.C.

D

Darzi, M.A., Chowdri, N.A., Kaul, S.K. and Khan, M. Evaluation of various methods of treating keloids and hypertrophic scars: a 10-year follow-up study, 374
Das, P.K., jt.author *See* Timmenga, E.J.F.
Das, S.K., jt.author *See* Cox, G.W.
Das, S.K., jt.author *See* Davidson, S.F.
Das, S.K., jt.author *See* Williams, J.K.
Dautel, G. and Merle, M. Direct and reverse dorsal metacarpal flaps, 123
David, D.J., jt.author *See* Harries, R.H.C.
David, D.J., jt.author *See* Moore, M.H.
Davidson, S.F., Brantley, S.K. and Das, S.K. The reversibility of UV-altered wound tensile strength in the hairless guinea pig following a 90-day recovery period, 109
Davidson, S.F., Brantley, S.K., Johnson, S.G., Hsu, H.S.H. and Das, S.K. The effects of ultraviolet irradiation on wound contraction in the hairless guinea pig, 508
Davidson, S.F., jt.author *See* Williams, J.K.
de Chalain, T.M.B. and Katz, A. Idiopathic muscular torticollis in children: the Cape Town experience, 297
Dennis, J., jt.author *See* Chatzis, L.A.
Destro, M.W.B. Lower eyelid repair—reply (letter to the editor), 180

Devaraj, V.S., Moss, A.L.H. and Briggs, J.C. Desmoplastic melanoma: a clinico-pathological review, 595
Dhital, S.K. An alternative pen (ideas and innovations), 177
Di Gregorio, C., jt.author *See* Moschella, F.
Dijkstra, R. Cancrum oris reconstruction (letter to the editor), 619
Dixon, M.S., jt.author *See* Muguti, G.I.
Dujon, D.G., Chatzis, L.A. and Hart, N.B. Thromboembolic prophylaxis in plastic surgery: an appraisal, 418
Dunn, K.W., Hall, P.N. and Khoo, C.T.K. Breast implant materials: sense and safety, 315
Durrant, K.R., jt.author *See* Phipps, A.R.

E

Eadie, P.A., Jenner, D.A. and Sakai, K. Clinical experience with the second metatarsal artery neurovascular flap, 136
Eady, R.A.J., jt.author *See* Terrill, P.J.
Elliot, D., Kangesu, L., Bainbridge, C. and Venkataramakrishnan, V. Reconstruction of the axilla with a posterior arm fasciocutaneous flap, 101
Erdmann, M.W.H., Asplund, O. and Bahnasy, N. Transcutaneous extravasation of silicone following breast augmentation (case report), 479
Eren, S., jt.author *See* Hettich, R.
Ermis, I. and Poole, M. The effects of soft tissue coverage on bone graft resorption in the craniofacial region, 26
Esemenli, T., jt.author *See* Numanoglu, A.
Evans, D.M. and James, N.K. A bipedicled neurovascular step-advancement flap for soft tissue lengthening in clinodactyly, 380

F

Fok, H., Jones, B.M., Gault, D.T., Andar, U. and Hayward, R. Relationship between intracranial pressure and intracranial volume in craniosynostosis, 394
Foo, I.T.H., Coleman, D.J., Holmes, J.D., Palmer, J.H. and Sharpe, D.T. Delay between expansion and expander/implant exchange in breast reconstruction—a prospective study, 279
Forrest, C., Boyd, B., Manktelow, R., Zuker, R. and Bowen, V. The free vascularised iliac crest tissue transfer: donor site complications associated with eighty-two cases, 89
Foucher, G. and Norris, R.W. Distal and very distal digital replantations, 199
Freedlander, E. Neonatal cleft lip repair—reply (letter to the editor), 74
Fujii, T., jt.author *See* Syed, S.A.
Fukuta, K., jt.author *See* Noreldin, A.A.
Futagami, R., jt.author *See* Yamada, N.
Futrell, J.W., jt.author *See* Bentz, M.L.

G

Galla, T.J., Anton-Lamprecht, I., Kieser, M., Saetzler, R.K. and Messmer, K. Comparative analysis of tissue fluorescence as related to capillary perfusion in random pattern skin flaps, 578
Gault, D.T., jt.author *See* Fok, H.
Gault, D.T., jt.author *See* Mayou, B.J.
Gilbert, P.M. Neonatal cleft lip repair (letter to the editor), 74
Glasby, M.A., jt.author *See* Hems, T.E.J.
Godfrey, A.M., jt.author *See* Phipps, A.R.
Goldsher, M., jt.author *See* Har-El, G.
Gordon, D., Small, J. and Millar, R. Flexor carpi radialis myocutaneous flap (letter to the editor), 562
Govila, A. Extracorporeal tissue transfer for intra-oral reconstructions, 388
Govilkar, P., jt.author *See* Thatte, R.
Graf, P. and Biemer, E. Morbidity of the groin flap transfer: are we getting something for nothing?, 86

H

Haeseker, B. and Veltheer, W. The significance of Eiselsberg and the Viennese school of surgery for the development of reconstructive surgery in Europe, 246
Hafemann, B., jt.author *See* Hettich, R.
Hage, J.J. Phalloplasty (letter to the editor), 487
Hall, P.N., jt.author *See* Dunn, K.W.
Hallock, G.G. Closure of the ulnar forearm free flap donor site using a local radial forearm flap, 94
Hallock, G.G. and Hoff, W.H. Staged distant muscle flap transfer using a forearm carrier (letter to the editor), 618
Hamajima, A., jt.author *See* Otsuka, T.
Hamilton, R.B. and Proudman, T.W. The radial forearm—flexor carpi radialis myocutaneous flap (case report), 322
Hancock, K., jt.author *See* Laing, J.H.E.
Hao, J., jt.author *See* Xing-yan, L.
Har-El, G., Nash, M., Torno, R.B., Goldsher, M. and Krespi, Y.P. Periosteum-wrapped alloplasts for reconstructive head and neck surgery, 169
Har-Shai, Y., Jackson, I.T., Moscona, R., Ullmann, Y. and Peled, I.J. Complete bilateral cleft lip (letter to the editor), 403
Harashina, T. Reconstruction of the penis with a free deltoid flap (letter to the editor), 254
Harii, K., jt.author *See* Yamada, A.
Härmä, M.A., jt.author *See* Tuominen, H.P.
Harries, R.H.C., Moore, M.H., Bagnall, A.D. and David, D.J. Posterior pharyngeal tattooing: localising the implant in velopharyngeal incompetence (ideas and innovations), 324
Harris, D.L., jt.author *See* Slator, R.
Harrison, D.H., jt.author *See* Laing, J.H.E.
Harrison, D.H., jt.author *See* Pickford, M.A.
Hart, N.B., jt.author *See* Dujon, D.G.
Hata, Y. and Matsuka, K. Eyelash reconstruction by means of strip skin grafting with vibrissae, 163
Hatayama, I., jt.author *See* Sawada, Y.
Hayward, R., jt.author *See* Fok, H.
Hayward, R., jt.author *See* Jones, B.M.
Hébert, G., jt.author *See* López Valle, C.A.
Hems, T.E.J. and Glasby, M.A. Comparison of different methods of repair of long peripheral nerve defects: an experimental study, 497
Hettich, R., Hafemann, B., Kistler, D., Eren, S., Mattes, U. and Ungethuem, M. A computerised machine for the facilitated production of intermingled skin grafts, 421
Hewison, J., jt.author *See* Bradbury, E.T.
Hirano, A., jt.author *See* Syed, S.A.
Hirase, Y., jt.author *See* Uchida, M.
Hirose, T., jt.author *See* Iwasawa, M.
Hoff, W.H., jt.author *See* Hallock, G.G.
Holmes, J.D., jt.author *See* Foo, I.T.H.
Horne, R.S.C., Hurley, J.V., Crowe, D.M., Ritz, M., O'Brien, B.McC. and Arnold, L.I. Wound healing in foetal sheep: a histological and electron microscope study, 333
Hovius, S.E.R., jt.author *See* van Adrichem, L.N.A.
Hsu, H.S.H., jt.author *See* Cox, G.W.
Hsu, H.S.H., jt.author *See* Davidson, S.F.
Hsu, H.S.H., jt.author *See* Williams, J.K.
Hudson, D.A. Impacted knife injuries of the face, 222
Hudson, D.A. and Millar, K. The cross-leg flap: still a useful flap in children, 146
Hurley, J.V., jt.author *See* Horne, R.S.C.

I

Iizuka, T., jt.author *See* Uchida, M.
Imai, Y., jt.author *See* Iwasawa, M.
Ishii, M., jt.author *See* Koshima, I.
Itoh, Y. and Arai, K. A deep inferior epigastric flap with a prefabricated thin portion obtained from the insertion of a silicone sheet, 204
Iwasawa, M., Hirose, T. and Imai, Y. Reverse flow fillet flap from a supernumerary finger, 131

J

Jackson, I.T., jt.author *See* Har-Shai, Y.
Jackson, I.T., jt.author *See* Noreldin, A.A.
Jackson, I.T., jt.author *See* White, K.S.
James, J.H., jt.author *See* Adams-Ray, W.E.
James, N.K., jt.author *See* Evans, D.M.
Jani, P., jt.author *See* Jones, B.M.

Jeng, S.-F., jt.author *See* Chuang, D.C.-C.
Jenner, D.A., jt.author *See* Eadie, P.A.
Johnson, S.G., jt.author *See* Davidson, S.F.
Johnson, S.G., jt.author *See* Williams, J.K.
Jones, B.M., Jani, P., Bingham, R.M., Mackersie, A.M. and Hayward, R. Complications in paediatric craniofacial surgery: an initial four year experience, 225
Jones, B.M., jt.author *See* Fok, H.

K

Kalangu, K.K.N., jt.author *See* Muguti, G.I.
Kangesu, L., jt.author *See* Elliot, D.
Kaoh, F., jt.author *See* Otsuka, T.
Katz, A., jt.author *See* de Chalain, T.M.B.
Kaul, S.K., jt.author *See* Darzi, M.A.
Kaya, E., jt.author *See* Kivanç, Ö.
Kaya, M., jt.author *See* Kivanç, Ö.
Kerrigan, C.L., jt.author *See* Lee, C.
Khan, M., jt.author *See* Darzi, M.A.
Khoo, C.T.K., jt.author *See* Dunn, K.W.
Khoury, Z., jt.author *See* Bertelli, J.A.
Kieser, M., jt.author *See* Galla, T.J.
Kim, S.-S., jt.author *See* Baek, S.-M.
Kistler, D., jt.author *See* Hettich, R.
Kivanç, Ö., Acartürk, S., Kaya, E., Kaya, M. and Mete, U. Ultrastructural and surface-area changes of acute and traditionally expanded full thickness skin grafts, 239
Klaassen, M.F., jt.author *See* Scott, M.J.L.
Kobayashi, K., jt.author *See* Syed, S.A.
Kojima, T., jt.author *See* Uchida, M.
Kola, G., jt.author *See* Sharma, R.K.
Koshima, I., Moriguchi, T., Soeda, S., Ishii, M. and Murashita, T. Free thin osteo-onychocutaneous flaps from the big toe for reconstruction of the distal phalanx of the fingers, 1
Koshima, I., Moriguchi, T., Umeda, N. and Yamada, A. Trimmed second toetip transfer for reconstruction of claw nail deformity of the fingers, 591
Kowalski, L.P., jt.author *See* Marques, A.
Krespi, Y.P., jt.author *See* Har-El, G.
Kucukcelebi, A. and Ozcan, M. The beneficial effect of cyclosporin-A on the no-reflow phenomenon in rat skin island flaps, 512
Kumar, P. The dartos myocutaneous flap—reply (letter to the editor), 73
Kuwao, S., jt.author *See* Yamada, N.

L

Lai, C.-S., Lin, S.-D., Chou, C.-K. and Tsai, C.-W. A versatile method for reconstruction of finger defects: reverse digital artery flap, 443
Lai, C.S., jt.author *See* Lin, S.D.
Laing, J.H.E., Hancock, K. and Harrison, D.H. The exposed total knee replacement prosthesis: a new classification and treatment algorithm, 66
Lari, A.-R. and Rajacic, N. One-stage repair of multiple bed sores, 450
Lawrence, J.E. and Poole, M.D. Mid-facial sensation following craniofacial surgery, 519
Lee, C., Mehran, R.J., Lessard, M.-L. and Kerrigan, C.L. Leeches: controlled trial in venous compromised rat epigastric flaps, 235
Lees, V. and Reid, C.D. A comparison of the use of polythene and jelonet as temporary dressing for excised wound—reply (letter to the editor), 404
Lees, V. and Townsend, P.L.G. Use of a pedicled fascial flap based on septocutaneous perforators of the posterior tibial artery for repair of distal lower limb defects, 141
Lees, V.C. and Pigott, R.W. Early postoperative complications in primary cleft lip and palate surgery—how soon may we discharge patients from hospital?, 232
Lei, B.van der *see* van der Lei, B.
Lessard, M.-L., jt.author *See* Lee, C.
Lim, T.C. and Tan, W.T.L. Treatment of donor site defects (letter to the editor), 488
Lin, S.D., Lai, C.S., Chou, C.K. and Tsai, C.W. The distally based posterior tibial arterial adipofascial flap, 284
Lin, S.D., jt.author *See* Lai, C.-S.
López Valle, C.A. and Hébert, G. Warfarin-induced complete bilateral breast necrosis, 606

M

McGibbon, I.C., jt.author *See* Madaree, A.
MacGill, K.A., jt.author *See* Morris, S.F.
McGregor, A.D. "Angiosome theory"—reply (letter to the editor), 328
McGregor, A.D. The angiosome—an *in vivo* study by fluorescein angiography, 219
McKee, P.H., jt.author *See* Terrill, P.J.
Mackersie, A.M., jt.author *See* Jones, B.M.
McKibben, B., jt.author *See* Reid, W.H.
Madaree, A., Morris, W.M.M. and McGibbon, I.C. A method of repairing the no.3 facial cleft, 44
Magrin, J., jt.author *See* Marques, A.
Mander, K.S., jt.author *See* Singh, A.
Manktelow, R., jt.author *See* Forrest, C.
Maqbool, M., Ahmad, R., Ahmed, R. and Qazi, S. Necrotising fasciitis in the head and neck region (case report), 481
Marques, A., Brenda, E., Magrin, J., Kowalski, L.P. and Andrews, J.M. Critical analysis of methods of reconstruction of extenterated orbits, 523
Matsuka, K., jt.author *See* Hata, Y.
Mattes, U., jt.author *See* Hettich, R.
Mayou, B.J., Gault, D.T. and Crock, J.G. Tissue expanded free flaps, 413
Mayou, B.J., jt.author *See* Terrill, P.J.
Mehran, R.J., jt.author *See* Lee, C.
Merle, M., jt.author *See* Dautel, G.
Messmer, K., jt.author *See* Galla, T.J.
Mete, U., jt.author *See* Kivanç, Ö.
Meulen, J.C. van der *See* van der Meulen, J.C.
Millar, K., jt.author *See* Hudson, D.A.
Millar, R., jt.author *See* Gordon, D.
Millard, P.R., jt.author *See* Phipps, A.R.
Miller, I.D., jt.author *See* Reid, W.H.
Miller, J.G. and Orton, C.I. Long term follow-up of a case of Kasabach-Merritt syndrome successfully treated with radiotherapy and corticosteroids (case report), 559
Milward, T. and Sommerlad, B. The strangeness of reversed images (letter to the editor), 619
Mishra, S., jt.author *See* Agrawal, K.
Mollan, R.A.B., jt.author *See* Small, J.O.
Moore, M.H., Trott, J.A. and David, D.J. Soft tissue expansion in the management of the rare craniofacial clefts, 155
Moore, M.H., jt.author *See* Harries, R.H.C.
Moriguchi, T., jt.author *See* Koshima, I.
Morris, D.J. and Pribaz, J.J. Transtibial transposition of gastrocnemius muscle and musculocutaneous flaps, 59
Morris, S.F., MacGill, K.A. and Taylor, G.I. Scalp replantation by arterialised venous network flow-through, 187
Morris, W.M.M., jt.author *See* Madaree, A.
Morrison, W.A., jt.author *See* Crock, J.G.
Moschella, F., Cordova, A. and Di Gregorio, C. Lower eyelid reconstruction by multiple subcutaneous pedicle flaps: a new method, 55
Moscona, R., jt.author *See* Har-Shai, Y.
Moss, A.L.H., jt.author *See* Devaraj, V.S.
Muguti, G.I. and Dixon, M.S. Tetanus following human bite (case report), 614
Muguti, G.I. and Kalangu, K.K.N. The sensate deep inferior epigastric artery local musculocutaneous flap: report of a further case (letter to the editor), 403
Murashita, T., jt.author *See* Koshima, I.
Murison, M.S.C. and Pigott, R.W. Medial Langenbeck: experience of a modified Von Langenbeck repair of the cleft palate. A preliminary report, 454
Murphy, M.J., jt.author *See* Reid, W.H.
Murphy, R.X., jt.author *See* Chowdary, R.P.

N

Naasan, A. and Page, R.E. The double cross plasty: a new technique for nasal stenosis, 165

Nahai, F., jt.author *See* Stern, H.S.
Nakajima, T., jt.author *See* Nakanishi, Y.
Nakajima, T., jt.author *See* Onishi, K.
Nakajima, T., jt.author *See* Yoshimura, Y.
Nakamura, M. A method to ensure safer skin stapling (letter to the editor), 254
Nakanishi, Y., Nakajima, T., Sakakibara, A. and Nishiyama, T. A vascularised rib strut technique for funnel chest correction, 364
Nakanishi, Y., jt.author *See* Yoshimura, Y.
Nanchahal, J. and Ward, C.M. New grafts for old? A review of alternatives to autologous skin, 354
Nash, M., jt.author *See* Har-El, G.
Nishiyama, T., jt.author *See* Nakanishi, Y.
Nizam, M., jt.author *See* Belcher, H.J.C.R.
Noreldin, A.A., Fukuta, K. and Jackson, I.T. Role of perivenous areolar tissue in the viability of venous flaps: an experimental study on the inferior epigastric venous flap of the rat, 18
Norris, R.W., jt.author *See* Foucher, G.
Numanoglu, A., Esemenli, T., Uzunismail, A. and Bas, L. The "lazy-V" de-epithelialised turn-over fasciocutaneous flap in the reconstruction of skin defects after tendo Achilles repair, 550

O

O'Brien, B.McC., jt.author *See* Horne, R.S.C.
O'Donnell, M., Briggs, P.C. and Condon, K.C. The horn flap: a curved V-Y advancement flap with lateral pedicle, 42
Okamura, T., jt.author *See* Otsuka, T.
O'Neill, T.J., jt.author *See* Belcher, H.J.C.R.
Onishi, K., Nakajima, T., Yoneda, K. and Aoki, T. Operation for polysyndactyly of the fifth toe using Z-plasty, 554
Onizuka, T., jt.author *See* Satoh, K.
Orton, C.I., jt.author *See* Miller, J.G.
Otsuka, T., Udagawa, A., Kaoh, F., Okamura, T., Takeda, H. and Hamajima, A. Reconstruction of adactyly for 4th and 5th toes: the study of foot pressure (case report), 610
Ozcan, M., jt.author *See* Kucukcelebi, A.

P

Page, R.E., jt.author *See* Naasan, A.
Palmer, J.H., jt.author *See* Foo, I.T.H.
Palmer, J.H., jt.author *See* Taylor, G.I.
Panda, K.N., jt.author *See* Agrawal, K.
Papini, R., jt.author *See* Vanstraelen, P.
Patel, J., jt.author *See* Thatte, R.
Paul, J.P., jt.author *See* Reid, W.H.
Peled, I.J. Lower eyelid repair (letter to the editor), 179
Peled, I.J., jt.author *See* Har-Shai, Y.
Pemberton, J., jt.author *See* Terrill, P.J.
Phipps, A.R., Godfrey, A.M., Durrant, K.R. and Millard, P.R. The effect of immediately preoperative adjuvant radiotherapy in the surgical treatment of primary cutaneous malignant melanoma, 30
Pickford, M.A., Scamp, T. and Harrison, D.H. Morbidity after gold weight insertion into the upper eyelid in facial palsy, 460
Pigott, R.W. Organisation of cleft lip and palate services—results of a questionnaire, 385
Pigott, R.W., jt.author *See* Lees, V.C.
Pigott, R.W., jt.author *See* Murison, M.S.C.
Poole, M., jt.author *See* Ermis, I.
Poole, M.D., jt.author *See* Lawrence, J.E.
Poole, M.D., jt.author *See* Stretch, J.R.
Porter, J.M. Split skin graft donor areas—reply (letter to the editor), 179
Potparic, Z. Medial gastrocnemius flap (letter to the editor), 486
Potparic, Z., jt.author *See* White, K.S.
Pribaz, J.J., jt.author *See* Morris, D.J.
Proudman, T.W., jt.author *See* Hamilton, R.B.

Q

Qazi, S., jt.author *See* Maqbool, M.
Quaba, A.A., jt.author *See* Scheepers, J.H.

R

Rajacic, N., jt.author *See* Lari, A.-R.
Ratcliffe, R.J., Regan, P.J. and Scerri, G.V. First dorsal metacarpal artery flap cover for extensive pulp defects in the normal length thumb, 544
Ravi, R., jt.author *See* Abraham, V.
Regan, P.J., jt.author *See* Ratcliffe, R.J.
Reid, C.D., jt.author *See* Lees, V.
Reid, W.H., Miller, I.D., Murphy, M.J., McKibben, B. and Paul, J.P. Treatment of portwine stains using the pulsed dye laser, 565
Rigby, H.S. and Briggs, J.C. Subungual melanoma: a clinico-pathological study of 24 cases, 275
Riley, W.B., jt.author *See* Teichgraeber, J.F.
Ritz, M., jt.author *See* Horne, R.S.C.
Roberts, R.H., Tan, S.T. and Sinclair, S.W. Lignocaine vs bupivacaine in prominent ear correction: a controlled trial, 533
Robinson, P.H., jt.author *See* van der Lei, B.
Rossi, A., jt.author *See* Cole, R.
Runnels, S., jt.author *See* Cox, G.W.
Russo, R.C., jt.author *See* Teichgraeber, J.F.

S

Saetzler, R.K., jt.author *See* Galla, T.J.
Sakai, K., jt.author *See* Eadie, P.A.
Sakakibara, A., jt.author *See* Nakanishi, Y.
Satoh, K. and Onizuka, T. A modified Le Fort I osteotomy for maxillofacial deformity: a preliminary report, 391
Sawada, Y., Hatayama, I. and Sone, K. The effect of continuous topical application of heparin on flap survival, 515
Sawada, Y. and Sone, K. Beneficial effects of silicone cream on grafted skin, 105
Sawada, Y. and Sone, K. Hydration and occlusion treatment for hypertrophic scars and keloids, 599
Sawada, Y., Yotsuyanagai, T., Hatayama, I. and Sone, K. The relationship between prostaglandin E1 applied area and flap survival rate, 465
Scamp, T., jt.author *See* Arnež, Z.M.
Scamp, T., jt.author *See* Pickford, M.A.
Scerri, G.V., jt.author *See* Ratcliffe, R.J.
Scheepers, J.H. and Quaba, A.A. Tissue expansion in the treatment of tubular breast deformity, 529
Scott, M.J.L. and Klaassen, M.F. Squamous cell carcinoma in a tube pedicle forty years after jaw reconstruction, 70
Shakespeare, P., jt.author *See* Cole, R.
Sharma, R.K. and Kola, G. Cross leg posterior tibial artery fasciocutaneous island flap for reconstruction of lower leg defects, 62
Sharpe, D.T., jt.author *See* Foo, I.T.H.
Shimamoto, Y., jt.author *See* Yamada, N.
Shinoda, M. and Takagi, I. Anterior mediastinal tracheostomy with a latissimus dorsi musculocutaneous flap, 160
Shioya, N., jt.author *See* Yamada, N.
Shrivastava, B.R., jt.author *See* Abraham, V.
Sinclair, S.W., jt.author *See* Roberts, R.H.
Singh, A., Thind, M.S., Mander, K.S. and Singh, G.P. Syringe suction drain (ideas and innovations), 484
Singh, G.P., jt.author *See* Singh, A.
Slator, R. and Harris, D.L. Are rhinoplasty patients potentially mad?, 307
Small, J., jt.author *See* Gordon, D.
Small, J.O. and Mollan, R.A.B. Management of the soft tissues in open tibial fractures, 571
Soeda, S., jt.author *See* Koshima, I.
Sommerlad, B., jt.author *See* Milward, T.
Sone, K., jt.author *See* Sawada, Y.
Stern, H.S. and Nahai, F. The versatile superficial inferior epigastric artery free flap, 270
Stranc, M.F. and Yang, F.W. Wound sterilisation: cautery vs CO_2 laser, 536
Stretch, J.R. and Poole, M.D. Pneumosinus dilatans as the aetiology of progressive bilateral blindness, 469
Strik, R. van *See* van Strik, R.
Suárez García, M.J., jt.author *See* Suárez Nieto, C.
Suárez Nieto, C., Suárez García, M.J. and Barthe García, P. A comparative study on the effect of various pharmacological agents on the survival of skin flaps in the rat, 113

Svartling, N.E., jt.author *See* Tuominen, H.P.
Syed, S.A., Tasaki, Y., Fujii, T., Hirano, A. and Kobayashi, K. A new experimental model: the vascular pedicle cutaneous flap over the dorsal aspect (flank and hip) of the rat, 23

T

Takagi, I., jt.author *See* Shinoda, M.
Takeda, H., jt.author *See* Otsuka, T.
Tan, S.T., jt.author *See* Roberts, R.H.
Tan, W.T.L., jt.author *See* Lim, T.C.
Tang, Y.-W. Intra- and postoperative steroid injections for keloids and hypertrophic scars, 371
Tasaki, Y., jt.author *See* Syed, S.A.
Taylor, G.I. and Palmer, J.H. "Angiosome theory" (letter to the editor), 327
Taylor, G.I., jt.author *See* Morris, S.F.
Teichgraeber, J.F., Riley, W.B. and Russo, R.C. External rhinoplasties: indications for use, 47
Terrill, P.J., Mayou, B.J., McKee, P.H. and Eady, R.A.J. The surgical management of Dystophic Epidermolysis Bullosa (excluding the hand), 426
Terrill, P.J., Mayou, B.J. and Pemberton, J. Experience in the surgical management of the hand in Dystrophic Epidermolysis Bullosa, 435
Thatte, M.R. and Thatte, R.L. Angiosomes (letter to the editor), 487
Thatte, M.R., jt.author *See* Thatte, R.L.
Thatte, R.L., Govilkar, P. and Patel, J. The tongue flap in the primary treatment of cleft palate: a report of 19 cases, 150
Thatte, R.L. and Thatte, M.R. Venous flaps (letter to the editor), 404
Thatte, R.L., jt.author *See* Thatte, M.R.
Thind, M.S., jt.author *See* Singh, A.
Tiernan, E. The syringe plunger in intraoperative hand surgery radiography (ideas and innovations), 616
Timmenga, E.J.F. and Das, P.K. Histomorphological observations on dermal repair in expanded rabbit skin: a preliminary report, 503
Timmons, M.J., jt.author *See* Bradbury, E.T.
Torno, R.B., jt.author *See* Har-El, G.
Townend, J. Local anaesthetics in dental cartridges—reply (letter to the editor), 180
Townsend, P.L.G., jt.author *See* Lees, V.
Trott, J.A., jt.author *See* Moore, M.H.
Tsai, C.-W., jt.author *See* Lai, C.-S.
Tsai, C.W., jt.author *See* Lin, S.D.
Tuominen, H.P., Asko-Seljavaara, S., Svartling, N.E. and Härmä, M.A. Cutaneous blood flow in the TRAM flap, 261

U

Uchida, M., Kojima, T., Hirase, Y. and Iizuka, T. Clinical characteristics of vascular leiomyoma of the upper extremity: report of 11 cases, 547
Uchinuma, E., jt.author *See* Yamada, N.
Udagawa, A., jt.author *See* Otsuka, T.
Ueda, K., jt.author *See* Yamada, A.
Ullmann, Y., jt.author *See* Har-Shai, Y.
Umeda, N., jt.author *See* Koshima, I.
Ungethuem, M., jt.author *See* Hettich, R.
Uzunismail, A., jt.author *See* Numanoglu, A.

V

van Adrichem, L.N.A., Hovius, S.E.R., van Strik, R. and van der Meulen, J.C. Acute effects of cigarette smoking on microcirculation of the thumb, 9
van der Lei, B., Bartels, H.L., Robinson, P.H. and Bakker, W.W. Reduced thrombogenicity (letter to the editor), 72
van der Meulen, J.C., jt.author *See* van Adrichem, L.N.A.
van Strik, R., jt.author *See* van Adrichem, L.N.A.
Vanstraelen, P. and Papini, R. Split skin graft donor areas (letter to the editor), 179
Veliath, A.J., jt.author *See* Agrawal, K.
Veltheer, W., jt.author *See* Haeseker, B.
Venkataramakrishnan, V., jt.author *See* Elliot, D.
Viola, J.C., jt.author *See* Abramo, A.C.
Vuursteen, P.J. The Krakatau syndrome: a late complication of retroglandular mammary augmentation, 34

W

Ward, C.M., jt.author *See* Nanchahal, J.
Wei, F.-C., jt.author *See* Chuang, D.C.-C.
White, K.S., Jackson, I.T. and Potparic, Z. The cervical tube pedicle flap: uses in facial reconstruction, 398
Williams, J.K., Davidson, S.F., Johnson, S.G., Hsu, H.S.H. and Das, S.K. An *in vitro* study on the effect of UVA radiation on human gingival fibroblasts, 349
Wuest, W.L. Breast implant seroma in pregnancy (letter to the editor), 328

X

Xing-yan, L., Bao-feng, G., Yi-Min, W. and Hao, J. Free medial gastrocnemius myocutaneous flap transfer with neurovascular anastomosis to treat Volkmann's contracture of the forearm, 6

Y

Yamada, A., Harii, K., Ueda, K. and Asato, H. Free rectus abdominis muscle reconstruction of the anterior skull base, 302
Yamada, A., jt.author *See* Koshima, I.
Yamada, N., Uchinuma, E., Shioya, N., Shimamoto, Y., Kuwao, S. and Futagami, R. Plexiform neurofibromatosis in an infant (case report), 175
Yang, F.W., jt.author *See* Stranc, M.F.
Yeong, E.K., jt.author *See* Chen, M.T.
Yi-Min, W., jt.author *See* Xing-yan, L.
Yoneda, K., jt.author *See* Onishi, K.
Yoshimura, Y., Nakajima, T. and Nakanishi, Y. Simple line closure for macrostomia repair, 604
Yotsuyanagai, T., jt.author *See* Sawada, Y.

Z

Zuker, R., jt.author *See* Forrest, C.